

L Number	Hits	Search Text	DB	Time stamp
1	1434	Internet with address with router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:02
2	5809210	defin\$5 or designat\$ or assign\$ or making or make or establish\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:03
3	2393925	connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:03
4	2247651	security or secur\$5 or authenticat\$ or SA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:03
5	2449086	server or host or workstation or master or CPU or terminal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:04
6	7438848	receiv\$5 or transmis\$ or transmit\$ or send\$5 or signal\$5 or messag\$5 or paging or page	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:05
7	4036321	hierarchic\$ or protocol or level\$5 or status\$5 or rank\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:06
8	6026552	stor\$5 or memory or save or saving or keep or keeping or maintain\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:07
9	3380436	bit or byte or packet or data or message or UDP or TCP or "Routing Table" or "Routing Tables" or destination or DNS or domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:08
10	1527	IPv4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:09
11	2953913	queue or switch\$ or port	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:10
12	173	(Internet with address with router) and IPv4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:10
13	45	((Internet with address with router) and IPv4) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:10
14	346437	(defin\$5 or designat\$ or assign\$ or making or make or establish\$) with connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:11

15	28	((Internet with address with router) and IPv4) and @ad<20000120) and ((defin\$5 or designat\$ or assign\$ or making or make or establish\$) with connection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:13
16	98214	(security or secur\$5 or authenticat\$ or SA) with (server or host or workstation or master or CPU or terminal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:13
17	15	((((Internet with address with router) and IPv4) and @ad<20000120) and ((defin\$5 or designat\$ or assign\$ or making or make or establish\$) with connection)) and ((security or secur\$5 or authenticat\$ or SA) with (server or host or workstation or master or CPU or terminal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:14
18	15	(((((Internet with address with router) and IPv4) and @ad<20000120) and ((defin\$5 or designat\$ or assign\$ or making or make or establish\$) with connection)) and ((security or secur\$5 or authenticat\$ or SA) with (server or host or workstation or master or CPU or terminal))) and (hierarchic\$ or protocol or level\$5 or status\$5 or rank\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:14
19	15	((((((Internet with address with router) and IPv4) and @ad<20000120) and ((defin\$5 or designat\$ or assign\$ or making or make or establish\$) with connection)) and ((security or secur\$5 or authenticat\$ or SA) with (server or host or workstation or master or CPU or terminal))) and (hierarchic\$ or protocol or level\$5 or status\$5 or rank\$5)) and (bit or byte or packet or data or message or UDP or TCP or "Routing Table" or "Routing Tables" or destination or DNS or domain) and (queue or switch\$ or port)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:15
20	15	((((((((Internet with address with router) and IPv4) and @ad<20000120) and ((defin\$5 or designat\$ or assign\$ or making or make or establish\$) with connection)) and ((security or secur\$5 or authenticat\$ or SA) with (server or host or workstation or master or CPU or terminal))) and (hierarchic\$ or protocol or level\$5 or status\$5 or rank\$5)) and (bit or byte or packet or data or message or UDP or TCP or "Routing Table" or "Routing Tables" or destination or DNS or domain) and (queue or switch\$ or port)) and (stor\$5 or memory or save or saving or keep or keeping or maintain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:42
21	225	internet with edge with router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:52
22	54755	(source or network or IP or address) with connection with (message or data or packet or stream)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:45
23	21	(internet with edge with router) and ((source or network or IP or address) with connection with (message or data or packet or stream)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 11:19

24	7	((internet with edge with router) and ((source or network or IP or address) with connection with (message or data or packet or stream)) and @ad<20000120) and UDP and IP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 11:18
25	3659	internet with ((edge with router) or firewall)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:52
26	422	(internet with ((edge with router) or firewall)) and ((source or network or IP or address) with connection with (message or data or packet or stream)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 10:08
27	139	((internet with ((edge with router) or firewall)) and ((source or network or IP or address) with connection with (message or data or packet or stream)) and @ad<20000120) and UDP and IP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:53
28	20	((internet with ((edge with router) or firewall)) and ((source or network or IP or address) with connection with (message or data or packet or stream)) and @ad<20000120) and UDP and IP) and (security or secur\$5 or authenticat\$ or SA) and (server or host or workstation or master or CPU or terminal) and (hierarchic\$ or protocol or level\$5 or status\$5 or rank\$5) and (stor\$5 or memory or save or saving or keep or keeping or maintain\$5) and (bit or byte or packet or data or message or UDP or TCP or "Routing Table" or "Routing Tables" or destination or DNS or domain) and (queue or switch\$ or port) and IPv4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 09:55
29	17	((internet with ((edge with router) or firewall)) and ((source or network or IP or address) with connection with (message or data or packet or stream)) and @ad<20000120) and SA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 10:09
30	17	((internet with ((edge with router) or firewall)) and ((source or network or IP or address) with connection with (message or data or packet or stream)) and @ad<20000120) and SA) and address\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 10:09
31	57	routing with "user authentication"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 11:19
32	14	(routing with "user authentication") and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 11:19